SKU:00.5034-G 2026/04/23

Floorstand

- 17.1050 - **FS TeleLock**
- 17.1055 - **FS EcoLock**

MOUNTING MADE EASY

Scan me

Sicherheitshinweise
Safety Instructions


Montage
Assembly


Handhabung
Handling

Stückliste
Bill of Materials



VORSICHT / CAUTION





Information

CAUTION

Do not adjust or operate any joint with a device mounted!


Remove the device before mounting! CE

VORSICHT

Verstellung jeglicher Gelenke nur mit abgenommenem Gerät!

Gerät vorher abnehmen!


VORSICHT / CAUTION



Information




VORSICHT / CAUTION



17.1050 - FS TeleLock


Abmessungen und Gewicht / Size and Weight



Gewicht
Weight
7.43 kg
(16.38 lbs)


Max. Belastbarkeit
Max. Load capacity
10 kg
(22 lbs)

Lieferumfang / Contents of delivery



17.1055 - FS EcoLock


Abmessungen und Gewicht / Size and Weight




Gewicht
Weight
5.95 kg
(13.12 lbs)


Max. Belastbarkeit
Max. Load capacity
10 kg
(22 lbs)


Lieferumfang / Contents of delivery




1



Information
Leg direction


VORSICHT / CAUTION



2x
01.0027
2


2x
01.0027


01.0850
1
17.9530


Information


2




3



4




5



Information

FS TeleLock


17.1050



A Seite 10 - 11
Page 10 - 11


FS EcoLock

17.1055




B Seite 12 - 13
Page 12 - 13


6A




7A




8A




9A




6B




7B




8B




9B




10




11




12


Cantilever Support
Arm Locking Pin
01.0027


13


01.0027
2
1
1
01.0027
2


17.1050 - FS TeleLock




17.1055 - FS EcoLock




Bedienung / Operating




Bedienung / Operating




Funktion / Function







Funktion / Function




Funktion / Function







Funktion / Function



Austausch / Replacement




Austausch / Replacement




Austausch / Replacement

17.1050 - FS TeleLock




17.1050 - FS TeleLock



Pos.	No.	Bezeichnung	Description
1	17.9500VP1	FS Bein (2er Set)	FS Leg (set of 2)
1.1	17.9543	FS Classic Doppelrolle (4er Satz)	FS Classic Swivel Caster (set of 4)
1.2	17.9544	Schutzkappen M8 (4er Satz)	Protective cover M8 (set of 4)
2	17.9530	FS Traverse Eco 78	FS Cross beam Eco 78
2.1	01.0850	Zylinderschraube M8x50	Cylinder head bolt M8x50
2.2	01.0620	Zylinderschraube M6x20	Cylinder head bolt M6x20
2.3	01.0393	Scheibe Ø6,4 mm	Washer Ø6.4 mm
3	17.9525QP	FS Säule TeleLock QP	FS Column TeleLock QP
3.1	01.0026	Klemmhebel M8x35	Clamping lever M8x35
3.2	01.0310	Passscheibe	Adjusting washer
3.3	01.0620	Zylinderschraube M6x20	Cylinder head bolt M6x20
4		FS Arm	FS Arm
4.1	01.5020	Rohr Ø22x400	Tube Ø22x400
4.2	11.1350	M3D Uni QuickShift	M3D Uni QuickShift
4.3	01.5010	Rohr Ø22x300	Tube Ø22x300
4.4	01.5995	Abrutschsicherung	Slip-out safeguard
5	16.1051	UGA 22-DC	UDS 22-DC
5.1	01.0025	Klemmhebel M6x20	Clamping lever M6x20
5.2	01.0620	Zylinderschraube M6x20	Cylinder head bolt M6x20
6		Montagekit	Mounting kit
6.1	01.0027	T-Griff	T-Handle
6.2	01.0850	Zylinderschraube M8x50	Cylinder head bolt M8x50
6.3	01.0835	Zylinderschraube M8x35	Cylinder head bolt M8x35
6.4	01.0025	Klemmhebel M6x20	Clamping lever M6x20
6.5	01.0620	Zylinderschraube M6x20	Cylinder head bolt M6x20

17.1055 - FS EcoLock



Pos.	No.	Bezeichnung	Description
1	17.9500VP1	FS Bein (2er Set)	FS Leg (set of 2)
1.1	17.9543	FS Classic Doppelrolle (4er Satz)	FS Classic Swivel Caster (set of 4)
1.2	17.9544	Schutzkappen M8 (4er Satz)	Protective cover M8 (set of 4)
2	17.9530	FS Traverse Eco 78	FS Cross beam Eco 78
2.1	01.0850	Zylinderschraube M8x50	Cylinder head bolt M8x50
2.2	01.0620	Zylinderschraube M6x20	Cylinder head bolt M6x20
2.3	01.0393	Scheibe Ø6,4 mm	Washer Ø6.4 mm
3	17.9529	FS Säule EcoLock 80	FS Column EcoLock 80
3.1	01.0835	Zylinderschraube M8x35	Cylinder head bolt M8x35
3.2	01.0310	Passscheibe	Adjusting washer
3.3	01.0620	Zylinderschraube M6x20	Cylinder head bolt M6x20
4		FS Arm	FS Arm
4.1	01.5020	Rohr Ø22x400	Tube Ø22x400
4.2	11.1350	M3D Uni QuickShift	M3D Uni QuickShift
4.3	01.5010	Rohr Ø22x300	Tube Ø22x300
4.4	01.5995	Abrutschsicherung	Slip-out safeguard
5	16.1051	UGA 22-DC	UDS 22-DC
5.1	01.0025	Klemmhebel M6x20	Clamping lever M6x20
5.2	01.0620	Zylinderschraube M6x20	Cylinder head bolt M6x20
6		Montagekit	Mounting kit
6.1	01.0027	T-Griff	T-Handle
6.2	01.0850	Zylinderschraube M8x50	Cylinder head bolt M8x50
6.3	01.0835	Zylinderschraube M8x35	Cylinder head bolt M8x35
6.4	01.0025	Klemmhebel M6x20	Clamping lever M6x20
6.5	01.0620	Zylinderschraube M6x20	Cylinder head bolt M6x20

We ♥ your feedback

Rehadapt

Heinrich-Hertz-Str. 104
34123 Kassel, Germany

+49 561 220 717 0

officeteam@rehadapt.com
https://rehadapt.com

Rehadapt
North America

40 Oser Ave, Suite 40-01
Hauppauge, NY 11788, USA

+1 888 635 6962
+1 888 635 6962
officeteam.na@rehadapt.com
https://rehadapt.com